

**CLAIM AMENDMENTS**

Claims 1-8 (canceled).

Claim 9 (new): A multi-functional cover for a writing pad to incorporate a utility accessory thereto, comprising:

a main body having a display window formed thereon, a plurality of window connectors spacedly provided on a peripheral boundary of said display window; and

a supporting frame detachably attached on said display window of said main body, wherein said supporting frame is adapted for detachably mounting with said utility accessory so as to detachably mount said utility accessory with said writing pad, and comprises:

a frame holder which is quadrilateral in shape, and has a plurality of accessory blockers formed at four corner portions of said supporting frame for retaining said utility accessory within said display window, wherein said supporting frame further has a plurality of through slots spacedly formed on a top and a bottom side of said supporting frame for said window connectors penetrating said through slots respectively so as to connect said window connectors with said supporting frame, wherein said supporting frame further comprises a transparent panel, a biasing panel, and a rear panel mounted in said frame holder for displaying said utility accessory by said supporting frame; and

a plurality of resilient members spacedly mounted at an inner side of said rear panel for normally applying an inward urging force towards said biasing panel so as to normally push said utility accessory towards a front side of said supporting frame to be biased by said accessory blockers for displaying the utility accessory through said display window in a secure manner, wherein said rear panel further has two pushing holes spacedly formed thereon for allowing a user to push said biasing panel and said transparent panel for conveniently detaching said utility accessory from said supporting frame.

Claim 10 (new): The multi-functional cover, as recited in claim 9, wherein said supporting frame is shaped and sized to fittedly receive said utility accessory within said frame holder.

Claim 11 (new): The multi-functional cover, as recited in claim 9, further comprising an affixing arrangement which contains a plurality of affixing slots spacedly formed on said utility accessory at an upper and a bottom side edge of said utility accessory to align with said through affixing slots, wherein said window connectors are adapted to connect with said affixing slots of said utility accessory for detachably mounting said utility accessory with said supporting frame.

Claim 12 (new): The multi-functional cover, as recited in claim 10, further comprising an affixing arrangement which contains a plurality of affixing slots spacedly formed on said utility accessory at an upper and a bottom side edge of said utility accessory to align with said through affixing slots, wherein said window connectors are adapted to connect with said affixing slots of said utility accessory for detachably mounting said utility accessory with said supporting frame.

Claim 13 (new): The multi-functional cover, as recited in claim 11, wherein each of said window connectors comprises a first and a second connector member, and a supporting member transversely extended between said first and said second connector members, wherein each of said first connector members is movably mounted onto said corresponding position of said window boundary, each of said window connectors further comprising an tubular metallic connecting member, having a connecting slot formed therein, and a resilient element mounted within said connecting slot of said metallic connecting member for normally exerting an inward biasing force with respect to said window boundary.

Claim 14 (new): The multi-functional cover, as recited in claim 12, wherein each of said window connectors comprises a first and a second connector member, and a supporting member transversely extended between said first and said second connector members, wherein each of said first connector members is movably mounted onto said corresponding position of said window boundary, each of said window connectors further comprising an tubular metallic connecting member, having a connecting slot formed therein, and a resilient element mounted within said connecting slot of said metallic connecting member for normally exerting an inward biasing force with respect to said window boundary.

Claim 15 (new): The multi-functional cover, as recited in claim 13, wherein said peripheral boundary of said display window has a mounting slot formed thereon, and said second connector member is arranged to mount with said resilient element and to

be received in said connecting slot of said metallic connecting member, such that each of said window connectors is capable of longitudinally moving with respect to said connecting slot and said mounting slot.

Claim 16 (new): The multi-functional cover, as recited in claim 14, wherein said peripheral boundary of said display window has a mounting slot formed thereon, and said second connector member is arranged to mount with said resilient element and to be received in said connecting slot of said metallic connecting member, such that each of said window connectors is capable of longitudinally moving with respect to said connecting slot and said mounting slot

Claim 17 (new): The multi-functional cover, as recited in claim 9, wherein said main body further comprises an audio device provided thereon for electrically connecting with said utility accessory, a signal inlet provided on said main body for electrically connecting with an external electrical appliance, a lighting device spacedly mounted on said main body for illuminating said display window, a power system electrically connected with said lighting device for powering up said lighting device to provide illumination, and a control switch mounted on said main body and electrically connecting with said lighting device for selectively controlling an operation thereof.

Claim 18 (new): The multi-functional cover, as recited in claim 14, wherein said main body further comprises an audio device provided thereon for electrically connecting with said utility accessory, a signal inlet provided on said main body for electrically connecting with an external electrical appliance, a lighting device spacedly mounted on said main body for illuminating said display window, a power system electrically connected with said lighting device for powering up said lighting device to provide illumination, and a control switch mounted on said main body and electrically connecting with said lighting device for selectively controlling an operation thereof.

Claim 19 (new): The multi-functional cover, as recited in claim 15, wherein said main body further comprises an audio device provided thereon for electrically connecting with said utility accessory, a signal inlet provided on said main body for electrically connecting with an external electrical appliance, a lighting device spacedly mounted on said main body for illuminating said display window, a power system electrically connected with said lighting device for powering up said lighting device to provide illumination, and a control switch mounted on said main body and electrically connecting with said lighting device for selectively controlling an operation thereof.

Claim 20 (new): The multi-functional cover, as recited in claim 16, wherein said main body further comprises an audio device provided thereon for electrically connecting with said utility accessory, a signal inlet provided on said main body for electrically connecting with an external electrical appliance, a lighting device spacedly mounted on said main body for illuminating said display window, a power system electrically connected with said lighting device for powering up said lighting device to provide illumination, and a control switch mounted on said main body and electrically connecting with said lighting device for selectively controlling an operation thereof.